



Kajaria
ETERNITY
INDIA'S NO.1 GVT BRAND

30X60 CM




Kajaria
ETERNITY

INDIA'S NO. 1
GVT BRAND

About Eternity

With over 20 years of legacy, Kajaria Eternity leads as India's No. 1 GVT brand, blending European design with Indian craftsmanship for contemporary yet timeless tiles. Renowned for high flexural strength, breaking strength, and zero porosity, our tiles are unmatched in durability. Featuring over 1500 designs and 13 sizes in various finishes, our range caters to every aesthetic and spatial need. Trusted in 31 countries, including Europe, the USA, Asia Pacific, and the Middle East, Kajaria Eternity stands for lasting beauty and unparalleled quality.

Kajaria
ETERNITY
INDIA'S NO.1 GVT BRAND



The 30x60 cm unique designs are the epitome of fashion and luxury. These sophisticated and elegant patterns that set the collection apart are classy enough to stay in trend for years to come, From contemporary to classic, urban to rural spaces, The 30x60 cm collection offers floor and wall tiles to suit all tastes and decor sensibilities. With a delicate and classy finish, it offers the latest trends while adhering to the traditional aesthetics of tiles.

Features



Stain
Resistant



Zero
Maintenance



Water
Resistant



Thermal
Resistant



Fire
Resistant



High Abrasion
Resistance



9mm
Thickness



Easy
Installation



Scratch
Resistant



Easy to
Clean



High Flexural
Strength



Chemical
Resistant



30x60 & 15x60 cm

30x60 cm distinctive designs are the pinnacle of style and refinement, The collection stands out for its sophisticated and attractive patterns, which continue to stay elegant for years. The Trend line includes floor and wall tiles to fit all tastes and decor sensibilities, from contemporary to classic and from urban to rural spaces. It delivers the newest trends with a delicate and sleek finish.

Kajaria
ETERNITY
INDIA'S NO.1 GVT BRAND



30x60 CM | HIGH DEPTH



BAZALT BROWN MATT/PUNCH



BAZALT FUSION MATT/PUNCH



BAZALT MIST MATT/PUNCH



BRICKS ANTHRACITE MATT/PUNCH



BRICKS GRIS MULTI MATT/PUNCH



BRICKS NATURAL MATT/PUNCH



BAZALT GREY MATT/PUNCH



BAZALT NATURAL MATT/PUNCH



BAZALT NERO MATT/PUNCH



BRICKS RED MATT/PUNCH



BRICKS WHITE MATT/PUNCH



30x60 CM | HIGH DEPTH



CLIFF AMBER MATT/PUNCH



CLIFF GOLD MATT/PUNCH



CLIFF NATURAL MATT/PUNCH



ELEVATE BLUE MATT/PUNCH



ELEVATE BRONZE MATT/PUNCH




ELEVATE CREMA MATT/PUNCH



ELEVATE FLAME MATT/PUNCH




30x60 CM | HIGH DEPTH



INFUSION BRASS MATT/PUNCH




INFUSION BROWN MATT/PUNCH




INFUSION GREY MATT/PUNCH



INFUSION GRIS MATT/PUNCH




INFUSION RUST MATT/PUNCH



INFUSION WARM RED MATT/PUNCH



INFUSION BROWN | MATT/PUNCH



MARWEL BIANCO MATT/PUNCH



MARWEL BROWN MATT/PUNCH



MARWEL MULTI MATT/PUNCH



MARWEL MULTI | MATT/PUNCH

30x60 CM | HIGH DEPTH



LAWRIE BLUE MATT/PUNCH



LAWRIE BRONZE MATT/PUNCH



LAWRIE BROWN MATT/PUNCH



LAWRIE CLAY MATT/PUNCH



LAWRIE IVORY MATT/PUNCH



LAWRIE MULTI MATT/PUNCH




LAWRIE RUST MATT/PUNCH




LAWRIE MULTI | MATT/PUNCH

30x60 CM | HIGH DEPTH



MONAR BRONZE MATT/PUNCH



MONAR CLAY MATT/PUNCH



MONAR MULTI MATT/PUNCH




MONAR NATURAL MATT/PUNCH



MONAR SILVER MATT/PUNCH



ORIGIN RED MATT/PUNCH



RECOVERY ANTHRACITE MATT/PUNCH



MONAR BRONZE | MATT/PUNCH



RECOVERY ANTHRACITE | MATT/PUNCH


30x60 CM | HIGH DEPTH



SPRING BROWN MATT/PUNCH



SPRING IVORY MATT/PUNCH



SPRING MULTI MATT/PUNCH



TORANO FUSION MATT/PUNCH



TORANO GRIS MATT/PUNCH




TORANO MULTI MATT/PUNCH



SPRING NERO MATT/PUNCH



SPRING SEPIA MATT/PUNCH




SPRING TAUPE MATT/PUNCH




30x60 CM



ANTARIS SILVER POLISH



ANTARIS MULTI PREMIUM POLISH/
DÉCOR




ANTARIS AZUL LUSH POLISH




SEOL MARFIL POLISH




ANTARIS NERO PREMIUM POLISH/
DÉCOR



ANTARIS NERO LUSH POLISH




CALACATTA GOLDEN POLISH




LAVA RED LUSH POLISH



ONYXO MINT SUPER PREMIUM POLISH




HEXION VERDE PREMIUM POLISH/
DÉCOR



ONYXO VERDE LUSH POLISH



30x60 CM



CARDOBA MARFIL POLISH




CARDOBA DECOR POLISH/DECOR



CARDOBA BRONZE SUPER PREMIUM POLISH



ANTIGUA BEIGE POLISH




ROMBINO POLISH/DECOR




ANTIGUA BRONZE SUPER PREMIUM POLISH




MARMOL CREMA POLISH




MALAGA POLISH/DECOR



EMPERADOR BROWN SUPER PREMIUM POLISH



ARIA GREY SUPER PERMIUM POLISH



BOTTEGA POLISH/PREMIUM DECOR



CARDOBA MARFIL, CARDOBA DECOR & CARDOBA BRONZE | POLISH / POLISH DECOR / SUPER PREMIUM POLISH

30x60 CM




PULPIS GREY POLISH



LONDRA POLISH/DÉCOR




PULPIS GRIS SUPER PREMIUM POLISH



CARRARA GOLD POLISH



ZEBRINO POLISH/DÉCOR




GOLD PORTORO SUPER PREMIUM POLISH



LOFT MARFIL POLISH



TRESORA POLISH/DÉCOR



NEBIA POLISH/DÉCOR



THYON MARFIL POLISH



KARNIKO GREY POLISH/DÉCOR



THYON GREY POLISH



LONDRA, PULPIS GRIS & PULPIS GREY | POLISH DECOR / SUPER PREMIUM POLISH / POLISH


30x60 CM



OXFORD PERLA POLISH




ARABIC AZUL POLISH/DÉCOR



PULPIS MARFIL POLISH



LOFT TAUPE POLISH



MIRAKI POLISH/DECOR



FLORA POLISH/DECOR



CARRARA POLISH



ZENISTA POLISH/DÉCOR




SATUARIO POLISH



ZENISTA POLISH/DÉCOR



30x60 CM



OXFORD BLANCO POLISH



ARABIC AZUL POLISH/DÉCOR




OSLO BLANCO POLISH



TRAVERTINO CREMA POLISH



NAPLES POLISH/DÉCOR



PULPIS BRONZE SUPER PREMIUM POLISH




VIETA MARFIL POLISH



ELANTRA POLISH/DECOR



VIETA GRIS SUPER PREMIUM POLISH



SIERRA MARFIL POLISH



FLORA POLISH/DECOR



ARABIC AZUL & OXFORD BLANCO | POLISH/POLISH DECOR

30x60 CM



KASHMIR MARFIL

POLISH



CELIAN

POLISH/DECOR



OMEGA TAUPE

POLISH



ZIGGY TAUPE

POLISH/DECOR



LISTON BEIGE

POLISH



NAPLES

POLISH/DECOR



EMERALD BEIGE

POLISH



ETHOS


POLISH/DECOR



30x60 CM



SEOL GREY POLISH



ELIKA POLISH/DECOR



OSLO BEIGE POLISH



JASMINE POLISH/DECOR



OSLO MARFIL POLISH



EVOQUE POLISH/DECOR



BOTTICINO CLASSIC POLISH



CUBICA PREMIUM POLISH/DECOR




SOFITA BEIGE POLISH




FIJI BEIGE, FIJI OCRE & BORAT | POLISH/POLISH DECOR



KOLTIN GREY POLISH



MIRAKI POLISH/DECOR



FIJI BEIGE POLISH



BORAT POLISH/DECOR



FIJI OCRE POLISH

30x60 CM




OPERA BEIGE

POLISH



GABANA

POLISH/DECOR



OPERA BROWN

POLISH



SIERRA BEIGE

POLISH



CUBICA

PREMIUM POLISH/DECOR



CREMA MARBLE

POLISH



GLANZA

PREMIUM POLISH/DÉCOR



SATUARIO CLASSICO

POLISH



CLASSICO

POLISH/DÉCOR



30x60 CM



AMYA MARFIL MATT



JAZZ BROWN SPARKLE/DECOR



AMYA BRONZE SUPER PREMIUM MATT




RIVERIA BEIGE MATT



JAZZ BROWN SPARKLE/DECOR



OSLO OCRE MATT




FOG PERLA MATT



CIAZ MATT/DÉCOR



DESERT VERDE MATT



SELTOS MATT/DECOR




DESERT GREY MATT



30x60 CM




CHICAGO GREY MATT



CABRA MATT/DÉCOR



CHICAGO CEMENT MATT



DESERT BLANCO MATT



EDIOS CREMA MATT/DÉCOR



AMYA BLANCO MATT



AMYA AZUL SUPER PREMIUM MATT



OSLO MARFIL MATT



CIAZ MATT/DÉCOR



PRIVLEDGE CEMENT MATT



MATRIX GRIS MATT/DÉCOR



PRIVLEDGE GRIS MATT



PRIVLEDGE GRIS, PRIVLEDGE CEMENT & MATRIX GRIS | MATT / MATT DECOR

30x60 CM



BEECH BEIGE MATT



BEECH BRONZE MATT




WAVE BEIGE MATT/DÉCOR



WAVE BRONZE MATT/DÉCOR




BEECH GREY MATT



WAVE GREY MATT/DÉCOR



WAVE TAUPE MATT/DÉCOR



BEECH TAUPE MATT



ELENA MATT/DÉCOR




METRO PERLA MATT



JAZZ GREY MATT/DÉCOR




30x60 CM



METRO BLANCO

MATT



CABRA

MATT/DÉCOR



BEECH GREY

MATT



CRYSTA GREY

MATT/DÉCOR




KASSEL MARFIL

MATT



MOSAICO TAUPE

MATT/DÉCOR



KASSEL TAUPE

MATT




KASSEL BEIGE

MATT



MOSAICO BEIGE

MATT/DÉCOR



KASSEL BRONZE


MATT



30x60 CM



BERLIN MARFIL MATT



JAVA MATT/DÉCOR



BERLIN GRIS MATT



PRIVLEDGE BEIGE MATT



EDIOS CREMA MATT/DÉCOR



DESERT CREMA MATT



RIVERIA GREY MATT




JAZZ GREY MATT/DÉCOR



RIVERIA GRIS MATT



CITY GREY MATT



JAVA MATT/DÉCOR



CITY CEMENT MATT




30x60 CM




OSLO GRIS MATT




MYRA DECOR SPARKLE/DÉCOR



DESERT GREY MATT



EDIOS GREY MATT/DÉCOR




DESERT VERDE MATT



RIVEN BEIGE STONE



RIVEN BRONZE STONE



DUREN MARFIL STONE




ELENA SPARKLE/DÉCOR



REIMS BEIGE SPARKLE/DÉCOR



KONTEMPO GREY STONE



JAVA SPARKLE/DÉCOR



KONTEMPO GRIS STONE



30x60 CM



BRIK RED STONE



BRIK RED DÉCOR STONE



BRIK GREY STONE



BRIK BEIGE SPARKLE



15x60 CM



HAMPTON BEIGE STONE/PUNCH



HAMPTON BRONZE STONE/PUNCH



HAMPTON GRIS STONE/PUNCH



MICHEL ANGELO STONE/PUNCH



ABBEY CREMA STONE/PUNCH




ABBEY BRONZE STONE/PUNCH



ABBEY GRIS STONE/PUNCH




MANHATTAN WENG MATT



ALDER WENG WOOD



ALDER ROSEWOOD WOOD



EKABA ASH WOOD



EKABA OAK WOOD



EKABA WALNUT WOOD




PORTI FINO DECOR MATT



TIAMA ROSEWOOD WOOD



TIAMA TEAK WOOD



TIAMA WALNUT WOOD



TIAMA WENG WOOD



HAMPTON GRIS | STONE / PUNCH



TIAMA TEAK | WOOD

PACKING DETAILS

Dimensions (mm)	No. of Tiles / Box	Coverage Area	Box Weight
300x600 HIGH DEPTH	05	0.9 M²	17.5 kg (Avg)

TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	Group Blb : ISO 13006 - 2018	Kajaria Eternity Tiles Specifications	Test method
Dimensions & surface Quality				
1.	Deviation in length and width	± 0.3%	± 0.1 %	ISO 10545:2/IS:13630 (P-1)
2.	Deviation in thickness	± 5.0 %	± 5.00 %	ISO 10545:2/IS:13630 (P-1)
3.	Deviation in Staightness of sides	± 0.3%	± 0.1 %	ISO 10545:2/IS:13630 (P-1)
4.	Deviation in Rectangularity	± 0.3 %	± 0.1 %	ISO 10545:2/IS:13630 (P-1)
5.	Deviation in Surface Flatness	± 0.4 %	± 0.2 %	ISO 10545:2/IS:13630 (P-1)
6.	Surface Quality (%)	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
7.	Glossiness	Declared by manufacturer	Avg. 5	ISO 2813 (Glossy meter)
Physical charactersitics				
8.	Scratch Hardness of surface Moh's scale	Required	Min. 6	IS:13630 (P-13)
9.	Water absorption	0.5 % < Ev ≤ 3 % Individual maximum 3.3%	maximum 2 %	ISO 10545:3/IS: 13630 (P-2)
10.	Moisture Expansion	Test method available	Max 0.01 mm/m	ISO 10545:10 / IS:13630(P-3)
11.	Surface abrasion	Required	PASS : CLASS - 4	ISO 10545:7/IS:13630 (P-11)
Mechanical charactersitics				
12.	Breaking strength	> 1100 N	≥ 1100 N	ISO 10545:4/IS: 13630 (P-6)
13.	Modulus of rupture	>30 N/mm2	≥ 30 N/mm2	ISO 10545:4/IS: 13630 (P-6)
Safety charactersitics				
14.	Impact resistance (Coefficient of restitution)	Test method available	> 0.55	ISO 10545:5/IS: 13630 (P-14)
Thermo photo charactersitics				
15.	Thermal shock resistance	Test method available	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
16.	Co efficient of thermal expansion	Test method available	<6×10-6	ISO 10545:8/IS:13630 (P-4)
17.	Crazing Resistance	Required	PASS : 5 cycle	ISO 10545:11/IS:13630 (P-9)
18.	Frost resistance	Required	No Damage	ISO 10545:12/IS: 13630 (P-10)
19.	Small colour differences	Plain coloured tiles only where required ΔE cmc < 0.75	No differences	ISO 10545:16
Chemical characteristics				
20.	Stain Resistance	Min Class - 3	Min conform to class-4*	ISO 10545:14/IS:13630 (P-8)
21.	Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	Min class-GB	Conform to classes-GA*	ISO 10545:13/IS:13630 (P-8)
22.	Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	Manufacturer is to state classification	Conform to classes-GLA*	ISO 10545:13/IS:13630 (P-8)
23.	Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	Test method available	Conform to classes-GHB*	ISO 10545:13/IS:13630 (P-8)

Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.



VISUAL 1



VISUAL 2



PACKING DETAILS

Dimensions (mm)	No. of Tiles / Box	Coverage Area
300x600	05	0.9 M²
150x600	08	0.72 M²

TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	ISO 13006:2018 Group B1b Standard's Requirement	Kajaria Eternity Tile's Specifications	Test method
1.	Deviation in length & width	± 0.3 %	± 0.10 %	ISO 10545-2
2.	Deviation in thickness	± 5.0 %	± 4.00 %	
3.	Deviation in Straightness of sides	± 0.3%	± 0.10 %	
4.	Deviation in Rectangularity	± 0.3 %	± 0.10 %	
5.	Deviation in Surface Flatness	± 0.4 %	± 0.15 %	
6.	Surface quality	95% of the tiles shall be free from visible defects	95% of the tiles shall be free from visible defects	ISO 10545-4
7.	Modulus of rupture	Avg. 30 N/mm2, Individual Min 27 N/mm2	≥ 30 N/mm²	
8.	Breaking strength	Minimum 1100 N	≥ 1100 N	ISO 10545-4
9.	Bulk Density	Minimum 2.00 g/cc	≥ 2.00 g/cc	IS 13630-2
10.	Glossiness	Manufacture to state the class	Min 5 for Rustic/Matt/Satin Finish Min 90 for Polish Finish	Glossimeter 60 degrees
11.	Water Absorption	0.5 < Eb ≤ 3 %	≤ 1.00 %	ISO 10545-3
12.	Resistance to surface abrasion of Glazed tiles	Report abrasion class and cycles passed	PEI-Class III to Class IV	ISO 10545-7
13.	Thermal expansion from ambient temperature to 100 ° C	Test method available	6x10 ⁻⁶ Maximum	ISO 10545-8
14.	Thermal shock resistance	Test method available	10 cycles Minimum	ISO 10545-9
15.	Moisture expansion	Maximum 0.02 Millimeter/metre Test method available	Maximum 0.02 millimeter/metre	IS 13630-3
16.	Crazing resistance (Glazed Tiles)	Required	Passes 4 cycles at 7.5 kg/cm²	ISO 10545-10
17.	Frost resistance	Required	100 cycles Minimum	ISO 10545-11
18.	Resistance to Household Chemicals & Swimming Pool Salts #	Minimum GB	Min GB	ISO 10545-12
19.	Resistance to low & high concentration of acids & alkalis #	Manufacturer to state classification	Min GLB,GHB	ISO 10545-13
20.	Stain resistance**	Min Class 3	Min Class 3	ISO 10545-14
21.	Slipperiness	Test method available	≥ R-10 for Rustic/Matt/Satin Finish ≥ R-9 for Polish Finish	DIN 51130:2014
22.	Co-efficient of friction	Manufacture to state the clas	> 0.34 for Rustic/Matt/Satin Finish > 0.20 for Polish Finish	ISO 10545-17
23.	Scratch hardness of surface(Moh's scale)	Test method available	Min 5	EN 101
24.	Impact Resistance	Test method available	No identification of cracking	ISO 10545-5

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

Resistance to acids & alkalis (Exception of Hydrofluoric Acid & its Compounds)

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.



VISUAL 1



VISUAL 2



EXPERIENCE CENTRE

North

CHANDIGARH:

SCO-8,1st floor, Sector 7C,
Madhya Marg, Chandigarh-160019
Phone: +91-172- 4631417
Mobile: 9779021253, 9779021262

JAIPUR:

G-1, G-2, Aishwarya Tower,
Near Hotel Hawa Mahal, Ajmer Road
Jaipur-302005, Rajasthan
Phone - +91-141 2223425, 9799495766

LUCKNOW:

7, Tajpuria palace, Faizabad Road,
Indira Nagar, Lucknow, Uttar Pradesh
Mobile: 9717795204,9956252777

South

BANGALORE:

Farah Icon, 119 2nd Floor,
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore-560027, Karnataka
Mobile: 9008402949, 9008016799

CHENNAI:

Rajah Annamalai Building, New No. 19,
Old No. 18/3,Rukmini Lakshmiopathy Road,
Egmore, Chennai – 600008.
Mobile: 9952094333, 9791178678

COIMBATORE:

1st Floor, No.57, Cowley Brown Road, Near Central
Library, R.S. Puram Coimbatore – 641002.
Mobile: 9629944454, 9677708080

COCHIN:

1st & 2nd Floors, Above Kairali Toyota,
Satyam Towers, NH Bypass Road,
Vytila, Cochin-682019
Mobile: 9746475937, 9633115615

HYDERABAD:

#3 – 143, 1st Floor, Nirvana Building,
Kavuri Hills, Police Station Opp.Road, Madhapur
Hyderabad – 500081, Telangana
Mobile: 9000304996, 9000304992, 9000005383,
7680000890, 9000304997, 9100062713, 8287905851

West

MUMBAI:

Ground & 1st Floor,
Suraksha Ace, Near JB Nagar
Metro Station, Andheri
Kurla Road, Chakala, Andheri (East),
Mumbai – 400059
Mobile: 8968586560, 9987789500

PUNE:

2nd Floor, Grace Platina,
Opp.Kumar Pacific Mall,
Shankar Seth Road,Pune – 411042
Mobile: 9730088497, 9730088498

Sales Representative

NORTH

GURGAON:

Mobile: 9971744115, 9717795210,
9717795205

NOIDA:

Mobile: 9717795156, 9717795200,
9717795205

DELHI & FARIDABAD:

Mobile: 9560553304, 9717795029,
9717795192

KUMAON:

Mobile: 7755001348, 7755001349,
9717795202

WESTERN UP:

Mobile: 9717795202, 8800093020,
7755001348

HARYANA:

Mobile: 8295200155, 8295200410

DEHRADUN:

Mobile: 7755001347, 9717795202
7755001346

LUDHIANA:

Mobile: 9779021270,9779021267 ,
9779021264,9779021255

HIMANCHAL PRADESH:

Mobile: 9779027169, 9779021253

JAMMU & KASHMIR:

Mobile: 9906906622, 9086411081

VARANASI:

Mobile: 9794865554, 9005095500

EAST

ASSAM:

Mobile: 9311299711, 9903234184

BIHAR:

Mobile: 9771458963,9892408080

JHARKHAND:

Mobile: 9934011406, 8882918981

ORISSA:

Mobile: 9937185338, 9937285865,
8882918983

WEST BENGAL / KOLKATA:

Mobile: 9007011022, 9007011028,
9007062814

CENTRAL

CHHATTISGARH:

Mobile: 9981528088

RAIPUR:

Mobile: 9758598467,9981528088

BILASPUR:

Mobile: 7898028779,9981528088

BHOPAL:

Mobile: 9981528092

INDORE:

Mobile: 9630025576, 9981528089

WEST

AURANGABAD:

Mobile: 8600992620, 9730088497

GOA:

Mobile: 7028018708

NASIK:

Mobile: 8600992620, 9730088497,
7028030538

AHMEDABAD:

Mobile: 9998804440, 8511581725

NAGPUR:

Mobile: 9987538689, 9730088497

SOUTH

ANDHRA PRADESH:

Mobile: 9000300790, 8287905851

VIJAYWADA:

Mobile: 7827993473, 9000300790

CALICUT:

Mobile: 7303663188

HUBLI:

Mobile: 9008017863

MADURAI:

MOBILE: 8595903618

MANGALORE:

MOBILE: 9900075960

PONDICHERRY:

MOBILE: 9677255644

TRIVANDRUM:

MOBILE: 9995868863



AUGUST - 2024

Toll Free No. : 1800 309 309 | Email : info@kajariaeternity.com | For exports : global@kajariaeternity.com
Website : www.kajariaeternity.com